



Food and Drug Administration
10903 New Hampshire Avenue
Document Control Room - WO66-G609
Silver Spring, MD 20993-0002

Oculus Private Limited
c/o Mr. Kevin Walls, RAC
Principal Consultant
Regulatory Insight, Inc.
5401 S. Cottonwood Court
Greenwood Village, Colorado 80121

SEP - 8 2011

Re: K103132

Trade/Device Name: FreshKon® Alluring Eyes, FreshKon® Colors Fusion, FreshKon® Colors, Fusion Sparklers, FreshKon® Mosaic, FreshKon® Glitzi (methafilcon A) Soft (hydrophilic) Contact Lenses for Daily Wear

Regulation Number: 21 CFR 886.5925

Regulation Name: Soft (hydrophilic) Contact Lens

Regulatory Class: Class II

Product Code: LPL

Dated: August 23, 2011

Received: August 24, 2011

Dear Mr. Walls:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



Malvina B. Eydelman
Malvina B. Eydelman, M.D.
Director
Division of Ophthalmic, Neurological,
and Ear, Nose and Throat Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K103132

Device Name:

- 1) FreshKon® Alluring Eyes (methafilcon A) Soft (hydrophilic) Contact Lens for Daily Wear,
- 2) FreshKon® Colors Fusion (methafilcon A) Soft (hydrophilic) Contact Lens for Daily Wear,
- 3) FreshKon® Colors Fusion Sparklers (methafilcon A) Soft (hydrophilic) Contact Lens for Daily Wear,
- 4) FreshKon® Mosaic (methafilcon A) Soft (hydrophilic) Contact Lens for Daily Wear,
- 5) FreshKon® Glitzi (methafilcon A) Soft (hydrophilic) Contact Lens for Daily Wear.

Indications for Use:

The FreshKon® (methafilcon A) Soft (hydrophilic) Contact Lenses for Daily Wear are indicated for daily wear for the correction of refractive ametropia (myopia) in aphakic or not-aphakic persons with non-diseased eyes. The lenses may be used to enhance or alter the apparent color of the eye. The lenses may be disinfected using a chemical disinfection system.

Prescription Use X AND/OR Over-The-Counter Use
(Part 21 CFR 801 Subpart D) (21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE OF
NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Marc Robboy
(Division Sign-Off)

Division of Ophthalmic, Neurological and Ear,
Nose and Throat Devices

Page 1 of 1

510(k) Number K103132